




METAL TRIM DETAILS STANDARD AND CUSTOM



SIMPLIFYING METAL ROOFING SYSTEMS

ARCHITECTURAL • COMMERCIAL • RESTORATION/CUSTOM

PAR-TROY METALS ROOFING SYSTEM TRIM



PROJECT INFORMATION:

Job Location: _____

Project Name: _____ Date: _____

Customer Name: _____ Contact: _____

Phone Number: _____ Email: _____

METAL ROOFING SPECIFICATIONS:

Gauge: ☐ 26 ga ☐ 24ga ☐ 22ga _____ Aluminum: ☐ .032 ☐ .040 _____


Panel Width: _____ Roof Area Sq Ft: _____

Color: _____


PANEL PROFILE:



☐ PTM 100SS
☐ 90° ☐ 180°



☐ PTM 150SS
☐ 90° ☐ 180°




☐ PTM 200S



☐ PTM 150SL




☐ PTM 450SL



☐ PTM 550S




☐ PTM 175S




☐ PTM 100NS




☐ PTM CAP
SEAM



☐ PTM
SNAP-ON
BATTEN




☐ PTM FWQ
FLUSH/SOFFIT




☐ PTM 5V


PANEL RIB:




☐ FLAT PANEL




☐ CLIP RELIEF




☐ STRIATIONS




☐ BEADS




☐ SMALL V RIBS



☐ LARGE V RIBS



☐ SMALL PENCIL RIBS



☐ LARGE PENCIL RIBS

PAR-TROY METALS ROOFING SYSTEM TRIM

PANEL TYPE:

Panel Order:

Quantity:		Panel Length:	Notes:
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	
_____	@ _____	Feet: _____ Inches: _____	

UNDERLAYMENT:

- ☐ MetShield High-Temp Underlayment
(196 sq/ft per roll)
Quantity (number of rolls): _____

MetShield
Synthetic Underlayment

- ☐ Metshield Synthetic Underlayment
(1,000 sq/ft per roll)
Quantity (number of rolls): _____

MetShield
Synthetic Underlayment

ACCESSORIES:

- ☐ **Clips:**
☐ Fixed Clips: Quantity: _____
☐ Expansion Clips: Quantity: _____

- ☐ **Screws: (#10-13x1" Pancake) (250/bag):**
Quantity: _____

- ☐ **#43 STS Rivets (250/bag):**
Color: _____
Quantity: _____

- ☐ **Butyl DBL-Bead Tape (40' per roll):**
Quantity: _____

- ☐ **Caulk (10.3oz Tube):**
Quantity: _____

- ☐ **Pipe Boot:**
Quantity: _____

- ☐ #3 Gray (1/4" to 4")

- ☐ #4 Gray (3" to 6")

- ☐ Other: _____

- ☐ **Painted Fasteners (#10-5 x1.5" A point) (250/bag):**
Color: _____
Quantity: _____
Other: _____

- ☐ **Drexmet® Paint Pen:**
Color: _____
Quantity: _____

- ☐ **Seamer Rental:**
\$100 per day or \$350 per week.
(Only for PTM 100SS, PTM 150SS, PTM 200S)

- ☐ **Snow Retention**


- ☐ **Hemming Tool**

- ☐ **Standard Paint Warranty**

- ☐ **Gold Standard Paint Warranty**

Do your panels have to be curved?
Call us at (973) 227-1150 for template instructions.



PAR-TROY METALS ROOFING SYSTEM TRIM



EAVE 1

☐ 10' Length
Specify Quantity: _____



☐ Select Roof Pitch
Specify 1 thru 12: _____



EAVE 2

☐ 10' Length
Specify Quantity: _____



Select Roof Pitch
Specify 1 thru 12: _____



RIDGE

10' Length
Specify Quantity: _____


Select Roof Pitch
Specify 1 thru 12: _____




HIP

10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____







HEADWALL



☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____





GABLE

☐ 10' Length
Specify Quantity: _____




**PRE-APPLIED
GABLE**

☐ 10' Length
Specify Quantity: _____




ZEE

☐ 10' Length
Specify Quantity: _____





PAR-TROY METALS ROOFING SYSTEM TRIM



CFR



☐ 10' Length
Specify Quantity: _____



W OR V VALLEY
CIRCLE YOUR SELECTION



☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____



OFFSET CLEAT


☐ 10' Length
Specify Quantity: _____




TRANSITION

☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____







PEAK

☐ 10' Length
Specify Quantity: _____



Select Roof Pitch
Specify 1 thru 12: _____



VENTED RIDGE



☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____




VENTED ZEE

☐ 10' Length
Specify Quantity: _____




**COUNTER
FLASHING**

☐ 10' Length
Specify Quantity: _____




PAR-TROY METALS ROOFING SYSTEM TRIM



☐ 10' Length

Specify Quantity: _____




RAKEWALL

CUSTOM FLASHINGS:

Description: _____ Length: _____ Quantity: _____

[illegible]

Specify Quantity: _____



Description: _____ Length: _____ Quantity: _____

[illegible]



Office:
122 Clinton Rd, Fairfield, NJ 07004
p. 973.227.1150
e. info@par-troy.com